

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... JUL 01 1991

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... FEB 21 1984 under 47572

The applicant..... John Abbott and Shirley Ann Abbott

Star Route Box 72500, of Pahrump,
Street and No. or P.O. Box No. City or Town

Nevada 89041, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... underground water source Pahrump Valley
Name of stream, lake, spring, underground or other source
artesian basin

2. The amount of water applied for is..... C. F. S. .0056 (3600 gal. per day)..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... Quasi-municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks")..... (See #12)

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... NORTHEAST QUARTER (NE¼) OF THE
SOUTHEAST QUARTER (SE¼) OF SECTION 19, TOWNSHIP 21 Describe as being within a 40-acre subdivision of public
SOUTH, RANGE 54 EAST, M.D.M., OR AT A POINT WHICH THE EAST QUARTER CORNER OF SAID
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. SECTION 19, BEARS NORTH 87°
13' 20" EAST, A DISTANCE OF 967.04 FEET.

6. Place of use..... BEING A PORTION OF THE NORTHWEST QUARTER (NW¼) OF THE NORTHEAST
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
QUARTER (NE¼) OF THE SOUTHEAST QUARTER (SE¼) OF SECTION 19, TOWNSHIP 21 SOUTH,
RANGE 54 EAST, M.D.M., NYE COUNTY, NEVADA. SEE ACCOMPANYING MAP FILED UNDER
PERMIT #47572. THIS NEW APPLICATION IS FOR THE SAME PURPOSE AS #47572.

7. Use will begin about..... JANUARY 1 and end about..... DECEMBER 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... EXISTING WELL 200' DEEP, 8 5/8" CASING, A
State manner in which water is to be diverted, i.e. diversion structure, ditches and

1 HP RED JACKET PUMP AND DISTRIBUTION CONDUIT SYSTEM
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$4,000.00

10. Estimated time required to construct works EXISTING WELL 200' DEEP, 8 5/8" CASING, A 1 HP
If well completed, describe works.

RED JACKET PUMP AND DISTRIBUTION CONDUIT SYSTEM.

11. Estimated time required to complete the application of water to beneficial use 3 YEARS.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

TO BE USED FOR SERVING A DUPLEX RESIDENTIAL UNIT PLUS ANOTHER RESIDENTIAL
UNIT AND LANDSCAPE. THIS APPLICATION IS IDENTICAL TO AND REPLACES PERMIT
#47572.

By SHIRLEY ANN ABBOTT
s/Shirley Ann Abbott
STAR ROUTE BOX 72500
PAHRUMP, NEVADA 89041

Compared bc/bc am/se

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed 0.0056 cubic feet per second, but not to exceed 0.73 million
gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before February 5, 1993

Proof of completion of work shall be filed on or before March 5, 1993

Application of water to beneficial use shall be made on or before February 5, 1995

Proof of the application of water to beneficial use shall be filed on or before March 5, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed APR 19 1993 IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of my
 office, this 5th day of February

Cultural map filed _____

A.D. 19 92

Certificate No. _____ Issued _____

[Signature]
 State Engineer

CANCELLED MAY 03 1995 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

[Signature] STATE ENGINEER